

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	63	(SMEETS near BERNARD) (SELANDER near GORAN) (NERBRANT near PER adj OLOF)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:49
L2	13	L1 and tamper adj resistant\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:49
L3	910	713/194.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:49
L4	6	L3 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:49
L5	183	726/33.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:49
L6	2	L5 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:49
L7	427	726/34.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:49
L8	3	L7 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:49

L9	108	initializ\$6 same tamper near resistant\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:49
L10	2	L9 and @ad<"20021031" and @pd>"20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:49
L11	430	initializ\$6 with (command instruction) and hash\$4 and tamper near resistant \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L12	1	L11 and @ad<"20021031" and @pd>"20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L13	51	initializ\$6 with (command instruction) same generat \$4 and tamper near resistant\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L14	0	L13 and @ad<"20021031" and @pd>"20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L15	29	secret with seed\$4 same tamper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L16	0	L15 and @ad<"20021031" and @pd>"20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L17	649	request\$4 with (key random) same seed\$4	US-PGPUB; USPAT	OR	ON	2010/06/01 10:50
L18	93	L17 same hash\$4	US-PGPUB; USPAT	OR	ON	2010/06/01 10:50
L19	0	L18 and @ad<"20021031" and @pd>"20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L20	129	request\$4 same seed\$4 with hash\$4	US-PGPUB; USPAT	OR	ON	2010/06/01 10:50

L21	0	L20 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L22	1078	(request\$4 generat\$4) with key same (time date) with hash\$4	US-PGPUB; USPAT	OR	ON	2010/06/01 10:50
L23	6	L22 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L24	202	L22 and tamper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L25	2	L24 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L26	78	(request\$4 generat\$4) with (temporary temporal session) near key same (time date) with hash\$4	US-PGPUB; USPAT	OR	ON	2010/06/01 10:50
L27	0	L26 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L28	80	matyas.in. and hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L29	0	L28 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L30	51	(temporary temporal session) near key same (seed\$4 time date) with hash\$4 and tamper	US-PGPUB; USPAT	OR	ON	2010/06/01 10:50
L31	2	L30 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50

L32	43	(temporary temporal session) near2 private adj key same hash\$4	US-PGPUB; USPAT	OR	ON	2010/06/01 10:50
L33	0	L32 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L34	96	hash\$4 with secret with (external\$4 remote\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L35	0	L34 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L36	151	generat\$4 with key same hash\$4 with external	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L37	0	L36 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L38	45	manufactur\$4 with circuit same tamper adj resistant \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L39	0	L38 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L40	31	manufactur\$4 same tamper adj resistant\$4 with secret	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L41	0	L40 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50

L42	40	cryptograph\$6 with hash \$4 with serial adj number with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L43	0	L42 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L44	42	cryptograph\$6 with hash \$4 with serial adj number same key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L45	0	L44 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L46	118	tamper adj resistant\$4 with secret same cryptographic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L47	0	L46 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L48	129	hash\$4 with serial adj number same generat\$4 with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L49	0	L48 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L50	28	tamper adj resistant\$4 same (produc\$4 creat\$4) with content same (watermark digital adj signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L51	0	L50 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50

L52	283	tamper adj resistant\$4 same (watermark digital adj signature) and (produc \$4 creat\$4) with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L53	1	L52 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:50
L54	448	(watermark digital adj signature) same (producer creator) with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L55	2	L54 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L56	264	trigger adj data same external	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L57	1	L56 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L58	10	tamper adj resistant\$4 with secret with (combin \$4 combination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L59	0	L58 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L60	21	tamper adj resistant\$4 same secret with (combin \$4 combination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L61	0	L60 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51

L62	27	tamper adj resistant\$4 and trigger\$4 adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L63	0	L62 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L64	100	tamper adj resistant\$4 same (export\$4 ouput\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L65	0	L64 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L66	1874	trigger\$4 with generat\$4 with (key cryptograph\$4 encrypt\$4 decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L67	2	L66 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L68	35	trigger\$4 near2 data with generat\$4 with (key cryptograph\$4 encrypt\$4 decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L69	0	L68 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L70	412	trigger\$4 near2 signal with generat\$4 with (key cryptograph\$4 encrypt\$4 decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L71	0	L70 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51

L72	33	trigger\$4 near2 signal with generat\$4 with (cryptograph\$4 encrypt\$4 decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L73	0	L72 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:51
L74	245	trigger\$4 with generat\$4 with (cryptograph\$4 encrypt\$4 decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:52
L75	1	L74 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:52
L76	59	(output\$4 send\$4 export \$4) with trigger\$4 near2 (data signal) same (encrypt\$4 decrypt\$4 cryptograph\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:52
L77	1	L76 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:52
L78	728	compar\$4 with (generat \$4 trigger\$4) near2 (data message signal) with (encrypt\$4 decrypt\$4 cryptograph\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:52
L79	2	L78 and @ad< "20021031" and @pd> "20091123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:52
L80	14	pyzocha and seed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:52
L81	2	(remot\$4 external) with seed same temporary with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:52

L82	29	seed same temporary near key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:52
L83	12	L82 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:52
L84	10	("20030159067" "5537474" "5757918"). PN. ("4748668" "6141756").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 10:52

EAST Search History (Interference)

< This search history is empty >

6/1/10 10:54:30 AM**C:\Documents and Settings\mpyzocha1\My Documents\EAST\Workspaces\10533120-3.wsp**